resourceful. naturally.
engineering and environmental consultants

BARR

March 23, 2012

Mr. Jason Gunter
Remedial Project Manager
U.S. Environmental Protection Agency
Region 7 - Superfund Branch
901 North 5th Street
Kansas City, KS 66101

Re: The Doe Run Company - Leadwood Mine Tailings Site Monthly Progress Report

Dear Mr. Gunter:

As required by Article VI, Section 50 of the Unilateral Administrative Order (Docket No. CERCLA-07-2006-0272) for the referenced project and on behalf of The Doe Run Company, the progress report for the period February 1, 2012 through February 29, 2012 is enclosed. If you have any questions or comments, please call me at 573-638-5020 or Mark Nations at 573-518-0800.

Sincerely,

Ty L. Morris, P.E., R.G.
Vice President

TLM/jms
Enclosures
c: Mark Nations – TDRC
Matt Wohl – TDRC (electronic only)
Kathy Rangen – MDNR
Tim Skoglund – Barr Engineering

40383849
Superfund

Leadwood Mine Tailings Site
Leadwood, Missouri
Removal Action - Monthly Progress Report
Period: February 1, 2012 – February 29, 2012

1. **Actions Performed or Completed This Period:**
   a. Work continued on the task of demobilizing earthmoving and ancillary equipment from the site. As of the end of the period, work on this task continued.
2. **Data and Results Received This Period:**
   a. During this period, water samples were collected from downstream of Leadwood Dam and the East Seep and Erosion Area, as well as from upstream and downstream of the confluence of Eaton Creek with Big River. The analytical results for this event are included with this progress report.
3. **Scheduled Activities not Completed This Period:**
   a. None.
4. **Planned Activities for Next Period:**
   a. Continue vegetation maintenance activities. The use of biosolids will only be continued if a biosolids management plan has been submitted to and approved by EPA.
   b. It is anticipated that EPA will use this site as a soil repository in the future. Preparations for these activities will continue.
   c. Complete monthly water sampling activities as described in the Removal Action Work Plan.
   d. Complete air monitoring activities as described in the Removal Action Work Plan.
5. **Changes in Personnel:**
   a. None.
6. **Issues or Problems Arising This Period:**
   a. None.
7. **Resolution of Issues or Problems Arising This Period:**
   a. None.

End of Monthly Progress Report

Leadwood Mine Tailings Site
Leadwood, Missouri
Removal Action - Monthly Progress Report
Period: February 1, 2012 – February 29, 2012

1. **Actions Performed or Completed This Period:**
   a. Work continued on the task of demobilizing earthmoving and ancillary equipment from the site. As of the end of the period, work on this task continued.
2. **Data and Results Received This Period:**
   a. During this period, water samples were collected from downstream of Leadwood Dam and the East Seep and Erosion Area, as well as from upstream and downstream of the confluence of Eaton Creek with Big River. The analytical results for this event are included with this progress report.
3. **Scheduled Activities not Completed This Period:**
   a. None.
4. **Planned Activities for Next Period:**
   a. Continue vegetation maintenance activities. The use of biosolids will only be continued if a biosolids management plan has been submitted to and approved by EPA.
   b. It is anticipated that EPA will use this site as a soil repository in the future. Preparations for these activities will continue.
   c. Complete monthly water sampling activities as described in the Removal Action Work Plan.
   d. Complete air monitoring activities as described in the Removal Action Work Plan.
5. **Changes in Personnel:**
   a. None.
6. **Issues or Problems Arising This Period:**
   a. None.
7. **Resolution of Issues or Problems Arising This Period:**
   a. None.

End of Monthly Progress Report

March 02, 2012

Allison Olds
Barr Engineering Company
1001 Diamond Ridge
Suite 1100
Jefferson City, MO 65109
TEL: (573) 638-5007
FAX: (573) 638-5001

RE: Leadwood MTS-25/86-0013 **WorkOrder:** 12021055

Dear Allison Olds:

TEKLAB, INC received 5 samples on 2/24/2012 9:40:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Michael L. Austin
Project Manager
(618)344-1004 ex 16
MAustin@teklabinc.com

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12

This reporting package includes the following:

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12

Abbr Definition

Abbr	Definition
CCV	Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
DF	Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilutions factors.
DNI	Did not ignite
DUP	Laboratory duplicate is an aliquot of a sample taken from the same container under laboratory conditions for independent processing and analysis independently of the original aliquot.
ICV	Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
IDPH	IL Dept. of Public Health
LCS	Laboratory control sample, spiked with verified known amounts of analytes, is analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system. The acceptable recovery range is in the QC Package (provided upon request).
LCSD	Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
MB	Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
MDL	Method detection limit means the minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix type containing the analyte.
MS	Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
MSD	Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
MW	Molecular weight
ND	Not Detected at the Reporting Limit
NELAP	NELAP Accredited
PQL	Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions. The acceptable recovery range is listed in the QC Package (provided upon request).
RL	The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
RPD	Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
SPK	The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
Surr	Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
TNTC	Too numerous to count (> 200 CFU)

Qualifiers

- # - Unknown hydrocarbon
- B - Analyte detected in associated Method Blank
- E - Value above quantitation range
- H - Holding times exceeded
- M - Manual Integration used to determine area response
- ND - Not Detected at the Reporting Limit
- R - RPD outside accepted recovery limits
- S - Spike Recovery outside recovery limits
- X - Value exceeds Maximum Contaminant Level

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

Cooler Receipt Temp: 1.2 °C

Locations and Accreditations

Collinsville		Springfield		Kansas City	
Address	5445 Horseshoe Lake Road Collinsville, IL 62234-7425	Address	3920 Pintail Dr Springfield, IL 62711-9415	Address	8421 Nieman Road Lenexa, KS 66214
Phone	(618) 344-1004	Phone	(217) 698-1004	Phone	(913) 541-1998
Fax	(618) 344-1005	Fax	(217) 698-1005	Fax	(913) 541-1998
Email	jhriley@teklabinc.com	Email	kmcclain@teklabinc.com	Email	dthompson@teklabinc.com

State	Dept	Cert #	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2013	Collinsville
Kansas	KDHE	E-10374	NELAP	1/31/2013	Collinsville
Louisiana	LDEQ	166493	NELAP	6/30/2012	Collinsville
Louisiana	LDEQ	166578	NELAP	6/30/2012	Springfield
Arkansas	ADEQ	88-0966		3/14/2012	Collinsville
Illinois	IDPH	17584		4/30/2012	Collinsville
Kentucky	UST	0073		5/26/2012	Collinsville
Missouri	MDNR	00930		4/13/2013	Collinsville
Oklahoma	ODEQ	9978		8/31/2012	Collinsville

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12
Lab ID: 12021055-001
Client Sample ID: LW-001
Matrix: AQUEOUS
Collection Date: 02/23/2012 8:05

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993 (TOTAL)								
Sulfate	NELAP	100		**207**	mg/L	10	03/01/2012 14:29	R160637
STANDARD METHOD 18TH ED. 4500-H B, LABORATORY ANALYZED								
Lab pH	NELAP	1.00		**8.06**		1	02/24/2012 12:22	R160332
STANDARD METHODS 18TH ED. 2340 C								
Hardness, as (CaCO3)	NELAP	5		**420**	mg/L	1	02/24/2012 15:35	R160324
STANDARD METHODS 18TH ED. 2540 D								
Total Suspended Solids	NELAP	6		**< 6**	mg/L	1	02/27/2012 9:26	R160430
STANDARD METHODS 18TH ED. 2540 F								
Solids, Settleable	NELAP	0.1		**< 0.1**	ml/L	1	02/24/2012 11:51	R160354
STANDARD METHODS 18TH ED. 5310 C, ORGANIC CARBON								
Total Organic Carbon (TOC)	NELAP	1.0		**3.1**	mg/L	1	02/24/2012 19:32	R160383
EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/25/2012 1:31	75468
Zinc	NELAP	10.0		**750**	µg/L	1	02/25/2012 1:31	75468
EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 13:25	75482
Zinc	NELAP	10.0		**1210**	µg/L	1	02/27/2012 13:25	75482
STANDARD METHODS 18TH ED. 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)								
Lead	NELAP	2.00		**3.92**	µg/L	1	02/28/2012 11:57	75467
STANDARD METHODS 18TH ED. 3030 E, 3113 B, METALS BY GFAA								
Lead	NELAP	4.00	X	**6.95**	µg/L	2	02/27/2012 19:26	75447

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12
Lab ID: 12021055-002
Client Sample ID: LW-002
Matrix: AQUEOUS
Collection Date: 02/23/2012 7:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993 (TOTAL)								
Sulfate	NELAP	375		**522**	mg/L	5	02/28/2012 21:10	R160547
STANDARD METHOD 18TH ED. 4500-H B, LABORATORY ANALYZED								
Lab pH	NELAP	1.00		**7.83**		1	02/24/2012 12:24	R160332
STANDARD METHODS 18TH ED. 2340 C								
Hardness, as (CaCO3)	NELAP	5		**760**	mg/L	1	02/24/2012 15:35	R160324
STANDARD METHODS 18TH ED. 2540 D								
Total Suspended Solids	NELAP	6		**< 6**	mg/L	1	02/27/2012 9:45	R160430
STANDARD METHODS 18TH ED. 2540 F								
Solids, Settleable	NELAP	0.1		**< 0.1**	ml/L	1	02/24/2012 11:51	R160354
STANDARD METHODS 18TH ED. 5310 C, ORGANIC CARBON								
Total Organic Carbon (TOC)	NELAP	1.0		**1.9**	mg/L	1	02/24/2012 19:38	R160383
EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)								
Cadmium	NELAP	2.00		**2.90**	µg/L	1	02/25/2012 1:37	75468
Zinc	NELAP	10.0		**5180**	µg/L	1	02/25/2012 1:37	75468
EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)								
Cadmium	NELAP	2.00		**4.20**	µg/L	1	02/27/2012 13:30	75482
Zinc	NELAP	10.0		**5680**	µg/L	1	02/27/2012 13:30	75482
STANDARD METHODS 18TH ED. 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)								
Lead	NELAP	2.00	X	**15.1**	µg/L	1	02/28/2012 12:01	75467
STANDARD METHODS 18TH ED. 3030 E, 3113 B, METALS BY GFAA								
Lead	NELAP	4.00	X	**41.0**	µg/L	2	02/27/2012 19:36	75447

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12
Lab ID: 12021055-003
Client Sample ID: LW-Dup
Matrix: AQUEOUS
Collection Date: 02/23/2012 10:25

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993 (TOTAL)								
Sulfate	NELAP	20		**25**	mg/L	2	03/01/2012 11:53	R160637
STANDARD METHOD 18TH ED. 4500-H B, LABORATORY ANALYZED								
Lab pH	NELAP	1.00		**8.13**		1	02/24/2012 12:26	R160332
STANDARD METHODS 18TH ED. 2340 C								
Hardness, as (CaCO3)	NELAP	5		**200**	mg/L	1	02/24/2012 15:35	R160324
STANDARD METHODS 18TH ED. 2540 D								
Total Suspended Solids	NELAP	6		**< 6**	mg/L	1	02/27/2012 9:45	R160430
STANDARD METHODS 18TH ED. 5310 C, ORGANIC CARBON								
Total Organic Carbon (TOC)	NELAP	1.0		**1.6**	mg/L	1	02/24/2012 19:44	R160383
EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/25/2012 1:42	75468
Zinc	NELAP	10.0		**< 10.0**	µg/L	1	02/25/2012 1:42	75468
EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 13:49	75482
Zinc	NELAP	10.0		**11.1**	µg/L	1	02/27/2012 13:49	75482
STANDARD METHODS 18TH ED. 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)								
Lead	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 18:31	75467
STANDARD METHODS 18TH ED. 3030 E, 3113 B, METALS BY GFAA								
Lead	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 16:47	75447

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12
Lab ID: 12021055-004
Client Sample ID: LW-DS
Matrix: AQUEOUS
Collection Date: 02/23/2012 10:15

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993 (TOTAL)								
Sulfate	NELAP	20		**26**	mg/L	2	02/29/2012 18:32	R160599
STANDARD METHOD 18TH ED. 4500-H B, LABORATORY ANALYZED								
Lab pH	NELAP	1.00		**8.10**		1	02/24/2012 12:28	R160332
STANDARD METHODS 18TH ED. 2340 C								
Hardness, as (CaCO3)	NELAP	5		**200**	mg/L	1	02/24/2012 15:35	R160324
STANDARD METHODS 18TH ED. 2540 D								
Total Suspended Solids	NELAP	6		**< 6**	mg/L	1	02/27/2012 9:45	R160430
STANDARD METHODS 18TH ED. 5310 C, ORGANIC CARBON								
Total Organic Carbon (TOC)	NELAP	1.0		**2.0**	mg/L	1	02/24/2012 19:51	R160383
EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/25/2012 2:09	75468
Zinc	NELAP	10.0		**10.1**	µg/L	1	02/25/2012 2:09	75468
EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 13:55	75482
Zinc	NELAP	10.0		**11.3**	µg/L	1	02/27/2012 13:55	75482
STANDARD METHODS 18TH ED. 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)								
Lead	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 18:35	75467
STANDARD METHODS 18TH ED. 3030 E, 3113 B, METALS BY GFAA								
Lead	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 16:51	75447

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12
Lab ID: 12021055-005
Client Sample ID: LW-US
Matrix: AQUEOUS
Collection Date: 02/23/2012 9:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993 (TOTAL)								
Sulfate	NELAP	20		**22**	mg/L	2	02/29/2012 18:37	R160599
STANDARD METHOD 18TH ED. 4500-H B, LABORATORY ANALYZED								
Lab pH	NELAP	1.00		**8.10**		1	02/24/2012 12:30	R160332
STANDARD METHODS 18TH ED. 2340 C								
Hardness, as (CaCO3)	NELAP	5		**180**	mg/L	1	02/24/2012 15:35	R160324
STANDARD METHODS 18TH ED. 2540 D								
Total Suspended Solids	NELAP	6		**< 6**	mg/L	1	02/27/2012 9:45	R160430
STANDARD METHODS 18TH ED. 5310 C, ORGANIC CARBON								
Total Organic Carbon (TOC)	NELAP	1.0		**1.6**	mg/L	1	02/24/2012 19:57	R160383
EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/25/2012 2:14	75468
Zinc	NELAP	10.0		**< 10.0**	µg/L	1	02/25/2012 2:14	75468
EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)								
Cadmium	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 14:00	75482
Zinc	NELAP	10.0		**< 10.0**	µg/L	1	02/27/2012 14:00	75482
STANDARD METHODS 18TH ED. 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)								
Lead	NELAP	2.00		**< 2.00**	µg/L	1	02/27/2012 18:38	75467
STANDARD METHODS 18TH ED. 3030 E, 3113 B, METALS BY GFAA								
Lead	NELAP	2.00		**< 2.00**	µg/L	1	02/28/2012 10:49	75447

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

Lab Sample ID	Client Sample ID	Matrix	Fractions	Collection Date
12021055-001	LW-001	Aqueous	5	02/23/2012 8:05
12021055-002	LW-002	Aqueous	5	02/23/2012 7:15
12021055-003	LW-Dup	Aqueous	5	02/23/2012 10:25
12021055-004	LW-DS	Aqueous	5	02/23/2012 10:15
12021055-005	LW-US	Aqueous	5	02/23/2012 9:30

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

Sample ID	Client Sample ID / Test Name	Collection Date	Received Date / Prep Date/Time	Analysis Date/Time
12021055-001A	LW-001	02/23/2012 8:05	2/24/2012 9:40:00 AM	
	Standard Methods 18th Ed. 2540 F			02/24/2012 11:51
12021055-001B	LW-001	02/23/2012 8:05	2/24/2012 9:40:00 AM	
	EPA 600 375.2 Rev 2.0 1993 (Total)			03/01/2012 14:29
	Standard Method 18th Ed. 4500-H B, Laboratory Analyzed			02/24/2012 12:22
	Standard Methods 18th Ed. 2340 C			02/24/2012 15:35
	Standard Methods 18th Ed. 2540 D			02/27/2012 9:26
12021055-001C	LW-001	02/23/2012 8:05	2/24/2012 9:40:00 AM	
	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)		02/24/2012 17:41	02/27/2012 13:25
	Standard Methods 18th Ed. 3030 E, 3113 B, Metals by GFAA		02/24/2012 11:04	02/27/2012 19:26
12021055-001D	LW-001	02/23/2012 8:05	2/24/2012 9:40:00 AM	
	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)		02/24/2012 13:24	02/25/2012 1:31
	Standard Methods 18th Ed. 3030 B, 3113 B, Metals by GFAA (Dissolved)		02/24/2012 13:23	02/28/2012 11:57
12021055-001E	LW-001	02/23/2012 8:05	2/24/2012 9:40:00 AM	
	Standard Methods 18th Ed. 5310 C, Organic Carbon			02/24/2012 19:32
12021055-002A	LW-002	02/23/2012 7:15	2/24/2012 9:40:00 AM	
	Standard Methods 18th Ed. 2540 F			02/24/2012 11:51
12021055-002B	LW-002	02/23/2012 7:15	2/24/2012 9:40:00 AM	
	EPA 600 375.2 Rev 2.0 1993 (Total)			02/28/2012 21:10
	Standard Method 18th Ed. 4500-H B, Laboratory Analyzed			02/24/2012 12:24
	Standard Methods 18th Ed. 2340 C			02/24/2012 15:35
	Standard Methods 18th Ed. 2540 D			02/27/2012 9:45
12021055-002C	LW-002	02/23/2012 7:15	2/24/2012 9:40:00 AM	
	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)		02/24/2012 17:41	02/27/2012 13:30
	Standard Methods 18th Ed. 3030 E, 3113 B, Metals by GFAA		02/24/2012 11:04	02/27/2012 19:36
12021055-002D	LW-002	02/23/2012 7:15	2/24/2012 9:40:00 AM	
	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)		02/24/2012 13:24	02/25/2012 1:37
	Standard Methods 18th Ed. 3030 B, 3113 B, Metals by GFAA (Dissolved)		02/24/2012 13:23	02/28/2012 12:01
12021055-002E	LW-002	02/23/2012 7:15	2/24/2012 9:40:00 AM	
	Standard Methods 18th Ed. 5310 C, Organic Carbon			02/24/2012 19:38
12021055-003A	LW-Dup	02/23/2012 10:25	2/24/2012 9:40:00 AM	
	Standard Method 18th Ed. 4500-H B, Laboratory Analyzed			02/24/2012 12:26
	Standard Methods 18th Ed. 2540 D			02/27/2012 9:45
12021055-003B	LW-Dup	02/23/2012 10:25	2/24/2012 9:40:00 AM	
	EPA 600 375.2 Rev 2.0 1993 (Total)			03/01/2012 11:53
	Standard Methods 18th Ed. 2340 C			02/24/2012 15:35

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

Sample ID	Client Sample ID / Test Name	Collection Date	Received Date / Prep Date/Time	Analysis Date/Time
12021055-003C	LW-Dup	02/23/2012 10:25	2/24/2012 9:40:00 AM	
	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)		02/24/2012 17:41	02/27/2012 13:49
	Standard Methods 18th Ed. 3030 E, 3113 B, Metals by GFAA		02/24/2012 11:04	02/27/2012 16:47
12021055-003D	LW-Dup	02/23/2012 10:25	2/24/2012 9:40:00 AM	
	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)		02/24/2012 13:24	02/25/2012 1:42
	Standard Methods 18th Ed. 3030 B, 3113 B, Metals by GFAA (Dissolved)		02/24/2012 13:23	02/27/2012 18:31
12021055-003E	LW-Dup	02/23/2012 10:25	2/24/2012 9:40:00 AM	
	Standard Methods 18th Ed. 5310 C, Organic Carbon			02/24/2012 19:44
12021055-004A	LW-DS	02/23/2012 10:15	2/24/2012 9:40:00 AM	
	Standard Method 18th Ed. 4500-H B, Laboratory Analyzed			02/24/2012 12:28
	Standard Methods 18th Ed. 2540 D			02/27/2012 9:45
12021055-004B	LW-DS	02/23/2012 10:15	2/24/2012 9:40:00 AM	
	EPA 600 375.2 Rev 2.0 1993 (Total)			02/29/2012 18:32
	Standard Methods 18th Ed. 2340 C			02/24/2012 15:35
12021055-004C	LW-DS	02/23/2012 10:15	2/24/2012 9:40:00 AM	
	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)		02/24/2012 17:41	02/27/2012 13:55
	Standard Methods 18th Ed. 3030 E, 3113 B, Metals by GFAA		02/24/2012 11:04	02/27/2012 16:51
12021055-004D	LW-DS	02/23/2012 10:15	2/24/2012 9:40:00 AM	
	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)		02/24/2012 13:24	02/25/2012 2:09
	Standard Methods 18th Ed. 3030 B, 3113 B, Metals by GFAA (Dissolved)		02/24/2012 13:23	02/27/2012 18:35
12021055-004E	LW-DS	02/23/2012 10:15	2/24/2012 9:40:00 AM	
	Standard Methods 18th Ed. 5310 C, Organic Carbon			02/24/2012 19:51
12021055-005A	LW-US	02/23/2012 9:30	2/24/2012 9:40:00 AM	
	Standard Method 18th Ed. 4500-H B, Laboratory Analyzed			02/24/2012 12:30
	Standard Methods 18th Ed. 2540 D			02/27/2012 9:45
12021055-005B	LW-US	02/23/2012 9:30	2/24/2012 9:40:00 AM	
	EPA 600 375.2 Rev 2.0 1993 (Total)			02/29/2012 18:37
	Standard Methods 18th Ed. 2340 C			02/24/2012 15:35
12021055-005C	LW-US	02/23/2012 9:30	2/24/2012 9:40:00 AM	
	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)		02/24/2012 17:41	02/27/2012 14:00
	Standard Methods 18th Ed. 3030 E, 3113 B, Metals by GFAA		02/24/2012 11:04	02/28/2012 10:49
12021055-005D	LW-US	02/23/2012 9:30	2/24/2012 9:40:00 AM	
	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)		02/24/2012 13:24	02/25/2012 2:14
	Standard Methods 18th Ed. 3030 B, 3113 B, Metals by GFAA (Dissolved)		02/24/2012 13:23	02/27/2012 18:38
12021055-005E	LW-US	02/23/2012 9:30	2/24/2012 9:40:00 AM	
	Standard Methods 18th Ed. 5310 C, Organic Carbon			02/24/2012 19:57

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12

EPA 600 375.2 REV 2.0 1993 (TOTAL)

Batch R160547 **SampType:** MBLK Units mg/L
SampID: MBLK

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	75		< 75						02/29/2012

Batch R160547 **SampType:** MBLK Units mg/L
SampID: ICB/MBLK

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	75		< 75						02/28/2012

Batch R160547 **SampType:** LCS Units mg/L
SampID: LCS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	75		139	150	0	92.7	90	110	02/29/2012

Batch R160547 **SampType:** LCS Units mg/L
SampID: LCS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	75		139	150	0	92.9	90	110	02/28/2012

Batch R160599 **SampType:** MBLK Units mg/L
SampID: ICB/MBLK

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	10		< 10						02/29/2012

Batch R160599 **SampType:** LCS Units mg/L
SampID: ICV/LCS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	10		20	20	0	101.3	90	110	02/29/2012

Batch R160637 **SampType:** MBLK Units mg/L
SampID: ICB/MBLK

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	10		< 10						03/01/2012

Batch R160637 **SampType:** LCS Units mg/L
SampID: ICV/LCS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	10		20	20	0	98.0	90	110	03/01/2012

Batch R160637 **SampType:** MS Units mg/L
SampID: 12021055-001B MS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Sulfate	100		319	100	206.8	112.2	85	115	03/01/2012

Client: Barr Engineering Company

Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055

Report Date: 02-Mar-12

EPA 600 375.2 REV 2.0 1993 (TOTAL)

Batch R160637 **SampType:** MSD Units mg/L RPD Limit 10

SampID: 12021055-001B MSD

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Sulfate	100		314	100	206.8	106.9	319.1	1.69	03/01/2012

STANDARD METHOD 18TH ED. 4500-H B, LABORATORY ANALYZED

Batch R160332 **SampType:** LCS Units

SampID: LCS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lab pH	1.00		6.98	7.00	0	99.7	99.1	100.8	02/24/2012

Batch R160332 **SampType:** DUP Units RPD Limit 10

SampID: 12021055-001BDUP

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lab pH	1.00		8.09				8.060	0.37	02/24/2012

Batch R160332 **SampType:** DUP Units RPD Limit 10

SampID: 12021055-002BDUP

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lab pH	1.00		7.85				7.830	0.26	02/24/2012

Batch R160332 **SampType:** DUP Units RPD Limit 10

SampID: 12021055-003ADUP

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lab pH	1.00		8.12				8.130	0.12	02/24/2012

Batch R160332 **SampType:** DUP Units RPD Limit 10

SampID: 12021055-004ADUP

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lab pH	1.00		8.09				8.100	0.12	02/24/2012

Batch R160332 **SampType:** DUP Units RPD Limit 10

SampID: 12021055-005ADUP

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lab pH	1.00		8.10				8.100	0.00	02/24/2012

STANDARD METHODS 18TH ED. 2340 C

Batch R160324 **SampType:** MBLK Units mg/L

SampID: MB-R160324

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Hardness, as (CaCO3)	5		< 5						02/24/2012

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

STANDARD METHODS 18TH ED. 2340 C

Batch R160324 **SampType:** LCS Units mg/L
SampID: LCS-R160324

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Hardness, as (CaCO3)	5		**1000**	1000	0	100.0	90	110	02/24/2012

Batch R160324 **SampType:** MS Units mg/L
SampID: 12021055-001BMS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Hardness, as (CaCO3)	5		**840**	400	420.0	105.0	85	115	02/24/2012

Batch R160324 **SampType:** MSD Units mg/L RPD Limit **10**
SampID: 12021055-001BMSD

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Hardness, as (CaCO3)	5		**820**	400	420.0	100.0	840.0	2.41	02/24/2012

STANDARD METHODS 18TH ED. 2540 D

Batch R160430 **SampType:** MBLK Units mg/L
SampID: MBLK

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Total Suspended Solids	6		**< 6**						02/27/2012

Batch R160430 **SampType:** LCS Units mg/L
SampID: LCS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Total Suspended Solids	6		**92**	100	0	92.0	85	115	02/27/2012
Total Suspended Solids	6		**94**	100	0	94.0	85	115	02/27/2012
Total Suspended Solids	6		**95**	100	0	95.0	85	115	02/27/2012

Batch R160430 **SampType:** DUP Units mg/L RPD Limit **15**
SampID: 12021055-003A DUP

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Total Suspended Solids	6		**< 6**				0	0.00	02/27/2012

STANDARD METHODS 18TH ED. 5310 C, ORGANIC CARBON

Batch R160383 **SampType:** MBLK Units mg/L
SampID: ICB/MBLK

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Total Organic Carbon (TOC)	1.0		**< 1.0**						02/24/2012

Batch R160383 **SampType:** LCS Units mg/L
SampID: ICV/LCS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Total Organic Carbon (TOC)	5.0		**48.6**	48.2	0	100.8	89.6	109.5	02/24/2012

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

STANDARD METHODS 18TH ED. 5310 C, ORGANIC CARBON

Batch R160383 **SampType:** MS Units mg/L
SampID: 12021055-005EMS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Total Organic Carbon (TOC)	1.0		6.6	5.0	1.610	99.0	80	120	02/24/2012

Batch R160383 **SampType:** MSD Units mg/L RPD Limit 15
SampID: 12021055-005EMSD

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Total Organic Carbon (TOC)	1.0		6.7	5.0	1.610	101.4	6.560	1.81	02/24/2012

EPA 600 4.1.1, 200.7R4.4, METALS BY ICP (DISSOLVED)

Batch 75468 **SampType:** MBLK Units µg/L
SampID: MB-75468

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Cadmium	2.00		< 2.00	2.00	0	0	-100	100	02/25/2012
Cadmium	2.00		< 2.00	2.00	0	0	-100	100	02/25/2012
Zinc	10.0		< 10.0	10.0	0	0	-100	100	02/25/2012
Zinc	10.0		< 10.0	10.0	0	21.0	-100	100	02/25/2012

Batch 75468 **SampType:** LCS Units µg/L
SampID: LCS-75468

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Cadmium	2.00		47.6	50.0	0	95.2	85	115	02/28/2012
Cadmium	2.00		48.6	50.0	0	97.2	85	115	02/25/2012
Zinc	10.0		468	500	0	93.5	85	115	02/25/2012
Zinc	10.0		504	500	0	100.8	85	115	02/25/2012

Batch 75468 **SampType:** MS Units µg/L
SampID: 12021055-003DMS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Cadmium	2.00		40.8	50.0	0	81.6	75	125	02/25/2012
Zinc	10.0		470	500	8.3	92.3	75	125	02/25/2012

Batch 75468 **SampType:** MSD Units µg/L RPD Limit 20
SampID: 12021055-003DMSD

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Cadmium	2.00		40.4	50.0	0	80.8	40.8	0.99	02/25/2012
Zinc	10.0		471	500	8.3	92.5	469.7	0.21	02/25/2012

EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)

Batch 75482 **SampType:** MBLK Units µg/L
SampID: MB-75482

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Cadmium	2.00		< 2.00	2.00	0	0	-100	100	02/27/2012
Zinc	10.0		< 10.0	10.0	0	0	-100	100	02/27/2012

Client: Barr Engineering Company
Work Order: 12021055
Client Project: Leadwood MTS-25/86-0013
Report Date: 02-Mar-12

EPA 600 4.1.4, 200.7R4.4, METALS BY ICP (TOTAL)

Batch 75482 **SampType:** LCS Units µg/L
SampID: LCS-75482

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Cadmium	2.00		**50.5**	50.0	0	101.0	85	115	02/27/2012
Zinc	10.0		**518**	500	0	103.7	85	115	02/27/2012

Batch 75482 **SampType:** MS Units µg/L
SampID: 12021055-005CMS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Cadmium	2.00		**48.8**	50.0	0	97.6	75	125	02/27/2012
Zinc	10.0		**500**	500	2.5	99.5	75	125	02/27/2012

Batch 75482 **SampType:** MSD Units µg/L RPD Limit **20**
SampID: 12021055-005CMSD

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Cadmium	2.00		**49.9**	50.0	0	99.8	48.8	2.23	02/27/2012
Zinc	10.0		**512**	500	2.5	102.0	500.2	2.41	02/27/2012

STANDARD METHODS 18TH ED. 3030 B, 3113 B, METALS BY GFAA (DISSOLVED)

Batch 75467 **SampType:** MBLK Units µg/L
SampID: MB-75467

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead	2.00		**< 2.00**	2.00	0	0	-100	100	02/28/2012

Batch 75467 **SampType:** LCS Units µg/L
SampID: LCS-75467

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead	2.00		**14.2**	15.0	0	94.4	85	115	02/28/2012

Batch 75467 **SampType:** MS Units µg/L
SampID: 12021055-002DMS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead	2.00		**29.2**	15.0	15.1478	94.0	70	130	02/28/2012

Batch 75467 **SampType:** MSD Units µg/L RPD Limit **20**
SampID: 12021055-002DMSD

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lead	2.00		**29.2**	15.0	15.1478	93.4	29.2454	0.29	02/28/2012

STANDARD METHODS 18TH ED. 3030 E, 3113 B, METALS BY GFAA

Batch 75447 **SampType:** MS Units µg/L
SampID: 12021055-001CMS

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Lead	4.00		**22.0**	15.0	6.948	100.5	70	130	02/27/2012

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

STANDARD METHODS 18TH ED. 3030 E, 3113 B, METALS BY GFAA

Batch 75447 **SampType:** MSD Units µg/L RPD Limit **20**

SampID: 12021055-001CMSD

Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref Val	%RPD	Date Analyzed
Lead	4.00		**19.3**	15.0	6.948	82.2	22.0166	13.28	02/27/2012

Teklab, Inc.
Environmental Laboratory

Receiving Check List

http://www.teklabinc.com/

Client: Barr Engineering Company
Client Project: Leadwood MTS-25/86-0013

Work Order: 12021055
Report Date: 02-Mar-12

Carrier: Rick Schmidt

Received By: EAH

Completed by: Timothy W. Mathis
On: 24-Feb-12

Reviewed by: Elizabeth A. Hurley
On: 24-Feb-12

Pages to follow: Chain of custody [1] Extra pages included [0]

Shipping container/cooler in good condition?	Yes ☑	No ☐	Not Present ☐	Temp °C	1.2
Type of thermal preservation?	None ☐	Ice ☑	Blue Ice ☐	Dry Ice	☐
Chain of custody present?	Yes ☑	No ☐			
Chain of custody signed when relinquished and received?	Yes ☑	No ☐			
Chain of custody agrees with sample labels?	Yes ☑	No ☐			
Samples in proper container/bottle?	Yes ☑	No ☐			
Sample containers intact?	Yes ☑	No ☐			
Sufficient sample volume for indicated test?	Yes ☑	No ☐			
All samples received within holding time?	Yes ☑	No ☐			
Reported field parameters measured:	Field ☐	Lab ☑	NA ☐		
Container/Temp Blank temperature in compliance?	Yes ☑	No ☐			
When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected.					
Water – at least one vial per sample has zero headspace?	Yes ☐	No ☐	No VOA vials ☑		
Water - TOX containers have zero headspace?	Yes ☐	No ☐	No TOX containers ☑		
Water - pH acceptable upon receipt?	Yes ☑	No ☐			

Any No responses must be detailed below or on the COC.

Custody seal(s) intact on shipping container/cooler. RS 2/24/12

Reset Print Form

Teklab Chain of Custody

Pg. 1 of 1 Workorder 12022055

5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618)344-1004 ~ Fax:(618)344-1005

Barr Engineering Co.

1001 Diamond Ridge, Suite 1100

Jefferson City | MO | 65109

Leadwood MTS - 25/86-0013

Are the samples chilled? (•) Yes ( ) No with: (•) Ice ( ) Blue ice

Preserved in ~~( ) Lab~~ (X) Field

Cooler Temp 1.2°C Sampler Chris Schulte

Teklab Inc. Courier Pick Up

Comments: Invoice to Mark Nations. Results to Allison Olds and Mark Nations, mnations@doerun.com
Matrix is surface water. Custody seal intact upon pick up
Metals = Cd, Pb, Zn

Contact Allison Olds eMail aolds@barr.com Phone 573-638-5007 Requested Due Date Standard Billing/PO Per contract with Doe Run

Lab Use	Sample ID	Sample Date/Time	Preservative	Matrix	pH	T.S.S.	Sulfate	Settleable Solids	T.O.C.	Total Metals	Dissolved Metals	Hardness				
~~12021055~~ 001	LW-001	2/23/12 8:05	Unpres 5	Aqueous	☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐
002	LW-002	2/23/12 07:15	Unpres 5	Aqueous	☒	☒	☒	☒	☒	☒	☒	☒	☐	☐	☐	☐
003	LW-Dup	2/23/12 10:25	Unpres 5	Aqueous	☒	☒	☒	☐	☒	☒	☒	☒	☐	☐	☐	☐
004	LW-DS	2/23/12 10:15	Unpres 5	Aqueous	☒	☒	☒	☐	☒	☒	☒	☒	☐	☐	☐	☐
005	LW-US	2/23/12 9:30	Unpres 5	Aqueous	☒	☒	☒	☐	☒	☒	☒	☒	☐	☐	☐	☐
			Unpres	Aqueous	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
			Unpres	Aqueous	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
			Unpres	Aqueous	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Relinquished By *	Date/Time	Received By	Date/Time
Barr	2/23/12 15:00	R. Schmidt	2/24/12 8:14
R. Schmidt	2/24/12 9:40	Elizabeth A. Hurley	2/24/12 0940

* The individual signing this agreement on behalf of client acknowledges that they have read and understand the terms of this agreement and that they have the authority to sign on behalf of client.